


QD...RB 特种钻尖RB型 Special Drilling Head RB


订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-080-RB	8.0	5.4	QD080/089-12.-D.-
QD-081-RB	8.1	5.4	
QD-082-RB	8.2	5.4	
QD-083-RB	8.3	5.4	
QD-084-RB	8.4	5.4	
QD-085-RB	8.5	5.4	
QD-086-RB	8.6	5.4	
QD-087-RB	8.7	5.4	
QD-088-RB	8.8	5.4	
QD-089-RB	8.9	5.4	
QD-090-RB	9.0	5.8	QD090/099-12.-D.-
QD-091-RB	9.1	5.8	
QD-092-RB	9.2	5.8	
QD-093-RB	9.3	5.8	
QD-094-RB	9.4	5.8	
QD-095-RB	9.5	5.8	
QD-096-RB	9.6	5.8	
QD-097-RB	9.7	5.8	
QD-098-RB	9.8	5.8	
QD-099-RB	9.9	5.8	
QD-100-RB	10.0	6.2	QD100/109-16.-D.-
QD-101-RB	10.1	6.2	
QD-102-RB	10.2	6.2	
QD-103-RB	10.3	6.2	
QD-104-RB	10.4	6.2	
QD-105-RB	10.5	6.2	
QD-106-RB	10.6	6.2	
QD-107-RB	10.7	6.2	
QD-108-RB	10.8	6.2	
QD-109-RB	10.9	6.2	


订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-110-RB	11.0	6.6	QD110/119-16.-D.-
QD-111-RB	11.1	6.6	
QD-112-RB	11.2	6.6	
QD-113-RB	11.3	6.6	
QD-114-RB	11.4	6.6	
QD-115-RB	11.5	6.6	
QD-116-RB	11.6	6.6	
QD-117-RB	11.7	6.6	
QD-118-RB	11.8	6.6	
QD-119-RB	11.9	6.6	
QD-120-RB	12.0	7.0	QD120/129-16.-D.-
QD-121-RB	12.1	7.0	
QD-122-RB	12.2	7.0	
QD-123-RB	12.3	7.0	
QD-124-RB	12.4	7.0	
QD-125-RB	12.5	7.0	
QD-126-RB	12.6	7.0	
QD-127-RB	12.7	7.0	
QD-128-RB	12.8	7.0	
QD-129-RB	12.9	7.0	
QD-130-RB	13.0	7.6	QD130/139-16.-D.-
QD-131-RB	13.1	7.6	
QD-132-RB	13.2	7.6	
QD-133-RB	13.3	7.6	
QD-134-RB	13.4	7.6	
QD-135-RB	13.5	7.6	
QD-136-RB	13.6	7.6	
QD-137-RB	13.7	7.6	
QD-138-RB	13.8	7.6	
QD-139-RB	13.9	7.6	



注：RB钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等、以及较软不易断屑的材料钻孔



RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel, titanium, nickelbase alloys, Mn steel etc. and other materials not to be broken easily.



QD...RB 特种钻尖RB型 Special Drilling Head RB




订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-140-RB	14.0	8.1	QD140/149-16-D..
QD-141-RB	14.1	8.1	
QD-142-RB	14.2	8.1	
QD-143-RB	14.3	8.1	
QD-144-RB	14.4	8.1	
QD-145-RB	14.5	8.1	
QD-146-RB	14.6	8.1	
QD-147-RB	14.7	8.1	
QD-148-RB	14.8	8.1	
QD-149-RB	14.9	8.1	
QD-150-RB	15.0	8.7	QD150/159-20-D..
QD-151-RB	15.1	8.7	
QD-152-RB	15.2	8.7	
QD-153-RB	15.3	8.7	
QD-154-RB	15.4	8.7	
QD-155-RB	15.5	8.7	
QD-156-RB	15.6	8.7	
QD-157-RB	15.7	8.7	
QD-158-RB	15.8	8.7	
QD-159-RB	15.9	8.7	
QD-160-RB	16.0	9.3	QD160/169-20-D..
QD-161-RB	16.1	9.3	
QD-162-RB	16.2	9.3	
QD-163-RB	16.3	9.3	
QD-164-RB	16.4	9.3	
QD-165-RB	16.5	9.3	
QD-166-RB	16.6	9.3	
QD-167-RB	16.7	9.3	
QD-168-RB	16.8	9.3	
QD-169-RB	16.9	9.3	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-170-RB	17.0	9.9	QD170/179-20-D..
QD-171-RB	17.1	9.9	
QD-172-RB	17.2	9.9	
QD-173-RB	17.3	9.9	
QD-174-RB	17.4	9.9	
QD-175-RB	17.5	9.9	
QD-176-RB	17.6	9.9	
QD-177-RB	17.7	9.9	
QD-178-RB	17.8	9.9	
QD-179-RB	17.9	9.9	
QD-180-RB	18.0	10.5	QD180/189-25-D..
QD-181-RB	18.1	10.5	
QD-182-RB	18.2	10.5	
QD-183-RB	18.3	10.5	
QD-184-RB	18.4	10.5	
QD-185-RB	18.5	10.5	
QD-186-RB	18.6	10.5	
QD-187-RB	18.7	10.5	
QD-188-RB	18.8	10.5	
QD-189-RB	18.9	10.5	
QD-190-RB	19.0	11.0	QD190/199-25-D..
QD-191-RB	19.1	11.0	
QD-192-RB	19.2	11.0	
QD-193-RB	19.3	11.0	
QD-194-RB	19.4	11.0	
QD-195-RB	19.5	11.0	
QD-196-RB	19.6	11.0	
QD-197-RB	19.7	11.0	
QD-198-RB	19.8	11.0	
QD-199-RB	19.9	11.0	

注：RB钻尖具有定心功能，轴向钻削力较小，适用于不锈钢、钛合金、镍基合金、锰钢等、以及较软不易断屑的材料钻孔

RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel, titanium, nickelbase alloys, Mn steel etc. and other materials not to be broken easily.

QD...RB 特种钻尖RB型 Special Drilling Head RB



订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-200-RB	20.0	11.6	QD200/209-25...D...
QD-201-RB	20.1	11.6	
QD-202-RB	20.2	11.6	
QD-203-RB	20.3	11.6	
QD-204-RB	20.4	11.6	
QD-205-RB	20.5	11.6	
QD-206-RB	20.6	11.6	
QD-207-RB	20.7	11.6	
QD-208-RB	20.8	11.6	
QD-209-RB	20.9	11.6	
QD-210-RB	21.0	12.1	QD210/219-25...D...
QD-211-RB	21.1	12.1	
QD-212-RB	21.2	12.1	
QD-213-RB	21.3	12.1	
QD-214-RB	21.4	12.1	
QD-215-RB	21.5	12.1	
QD-216-RB	21.6	12.1	
QD-217-RB	21.7	12.1	
QD-218-RB	21.8	12.1	
QD-219-RB	21.9	12.1	
QD-220-RB	22.0	12.7	QD220/229-25...D...
QD-221-RB	22.1	12.7	
QD-222-RB	22.2	12.7	
QD-223-RB	22.3	12.7	
QD-224-RB	22.4	12.7	
QD-225-RB	22.5	12.7	
QD-226-RB	22.6	12.7	
QD-227-RB	22.7	12.7	
QD-228-RB	22.8	12.7	
QD-229-RB	22.9	12.7	

订货号 Order No.	尺寸 Dimensions(mm)		刀体 tool holders
	D	t	
QD-230-RB	23.0	13.3	QD230/239-32...D...
QD-231-RB	23.1	13.3	
QD-232-RB	23.2	13.3	
QD-233-RB	23.3	13.3	
QD-234-RB	23.4	13.3	
QD-235-RB	23.5	13.3	
QD-236-RB	23.6	13.3	
QD-237-RB	23.7	13.3	
QD-238-RB	23.8	13.3	
QD-239-RB	23.9	13.3	
QD-240-RB	24.0	13.9	QD240/249-32...D...
QD-241-RB	24.1	13.9	
QD-242-RB	24.2	13.9	
QD-243-RB	24.3	13.9	
QD-244-RB	24.4	13.9	
QD-245-RB	24.5	13.9	
QD-246-RB	24.6	13.9	
QD-247-RB	24.7	13.9	
QD-248-RB	24.8	13.9	
QD-249-RB	24.9	13.9	
QD-250-RB	25.0	14.5	QD250/260-32...D...
QD-251-RB	25.1	14.5	
QD-252-RB	25.2	14.5	
QD-253-RB	25.3	14.5	
QD-254-RB	25.4	14.5	
QD-255-RB	25.5	14.5	
QD-256-RB	25.6	14.5	
QD-257-RB	25.7	14.5	
QD-258-RB	25.8	14.5	
QD-259-RB	25.9	14.5	
QD-260-RB	26.0	14.5	

注：RB钻尖具有定心、分屑和卷屑功能，适用于锰钢、低碳钢等，以及较软不易断屑的材料钻孔，尤其是对大直径切屑较宽的钻孔，排屑效果尤为明显。

RB Cutting head can drill with self-centering and less drill force, it can be used for stainless steel ,titanium , nickelbase alloys, Mn steel etc and other materials not to be broken easily.