

III HD-3自定心快速钻(6D) HD-3 Self-centering Drill with inserts(6xD)



							○不适合加工 ②适合加工	事常适合
		自定心钻孔+内出水	P	M	K	N	S	Н
H13	M42粉末高速钢		钢	不锈钢	铸铁	非铁材料	高温合金、钛合金	高硬度

						•				0		
#III (CD)	±/7 (D)	L1		DS	LS	WC型	<u> </u>	SP型		+ > 61		
型号 (6D)	D) 直径 (D) L1		L	D3 L3		刀片型号	螺丝/扳手	刀片型号	螺丝/扳手	定心钻	螺丝/扳手	
C25-SD20-6D-06	20	120	210									
C25-SD21-6D-06	21	126	215		55	WCMX030208	M2.5*7 T8			6mm		
C25-SD22-6D-06	22	132	225	25								
C25-SD23-6D-06	23	138	230									
C25-SD24-6D-06	24	144	235					SPMG	M2.2*6		M5	
C32-SD25-6D-06	25	150	245					06204	Т7		内六角2.5mm	
C32-SD26-6D-06	26	156	255									
C32-SD27-6D-06	27	162	260		WCMX040208							
C32-SD28-6D-06	28	168	265									
C32-SD29-6D-06	29	174	270	32	60							
C32-SD30-6D-08	30	180	266			WCMX050308	M3*8 T10		M2.5*7 T8	8mm		
C32-SD31-6D-08	31	186	272					SPMG 07T308				
C32-SD32-6D-08	32	192	278									
C32-SD33-6D-08	33	198	284								M6	
C32-SD34-6D-08	34	204	290								内六角3MM	
C32-SD35-6D-08	35	210	296									
C32-SD36-6D-08	36	216	302									
C32-SD37-6D-08	37	222	308									
C32-SD38-6D-08	38	228	314									
C32-SD39-6D-08	39	234	320									
C40-SD40-6D-10	40	240	336					SPMG	M3.5*8			
C40-SD41-6D-10	41	246	342					090408	T15			
C40-SD42-6D-10	42	252	348									
C40-SD43-6D-10	43	258	354									
C40-SD44-6D-10	44	264	360									
C40-SD45-6D-10	45	270	366	40	70	WCMX06T308	M3.5*9				M8	
C40-SD46-6D-10	46	276	372				T15			10mm	内六角4MM	
C40-SD47-6D-10	47	282	378					SPMG	M4*9			
C40-SD48-6D-10	48	288	384					110408				
C40-SD49-6D-10	49	294	390					110400	T15			
C40-SD50-6D-10	50	300	396									



III HD-3自定心快速钻(6D) HD-3 Self-centering Drill with inserts(6xD)



○不适合加工 ② 适合加工 ● 非常适合

	1														_		
						自定心	钻孔+内	出水	P		M	K	N	S		H	
H13	M42粉末	高速钢					钢	不	锈钢	铸铁	非铁材料	高温合金、	钛合金	高硬度	Ē		
							•			•	•	0		(_		
型号 (6D)	直径 (D)	L1	L	DS	LS	刀片型	WC <u>±</u>	螺丝	扳手	-	心钻	螺丝	扬	手			
C40 CD54 CD 43		200	406			カハ主	7	15:22	JIXT								
C40-SD51-6D-12	51	306	406														
C40-SD52-6D-12	52 53	312	412														
C40-SD53-6D-12 C40-SD54-6D-12	53	318	418 424														
C40-SD55-6D-12	55	330	430														
C40-SD56-6D-12	56	336	436														
C40-SD57-6D-12	57	342	442			WCMX08	80408 M4*1		T15								
C40-SD58-6D-12	58	348	448														
C40-SD59-6D-12	59	354	454														
C40-SD60-6D-12	60	360	460														
C40-SD61-6D-12	61	366	466														
C40-SD62-6D-12	62	372	472														
C40-SD63-6D-12	63	378	478														
C40-SD64-6D-12	64	384	484	40	70								内方	·角			
C40-SD65-6D-12	65	390	490							12mm		M10	5M				
C40-SD66-6D-12	66	396	496														
C40-SD67-6D-12	67	402	502														
C40-SD68-6D-12	68	408	508														
C40-SD69-6D-12	69	414	514			WCMX05	0308	M3*8	T10								
C40-SD70-6D-12	70	420	520			-4P											
C40-SD71-6D-12	71	426	526														
C40-SD72-6D-12	72	432	532														
C40-SD73-6D-12	73	438	538														
C40-SD74-6D-12	74	444	544														
C40-SD75-6D-16	75	450	550														
C40-SD76-6D-16	76	456	556														
C40-SD77-6D-16	77	462	562														
C40-SD78-6D-16	78	468	568			WCMX06	T308	M3.5*9	T15	16	mm						
C40-SD79-6D-16	79	474	574			-4P		1413.3 3	113	101	11111						
C50-SD80-6D-16	80	480	600	F0	00												
C50-SD81-6D-16	81	486	606	50	80												



Ⅲ HD-3自定心快速钻(6D) HD-3 Self-centering Drill with inserts(6xD)



				自定心钻孔+内出水					M	К	N	S	C
H13	M42粉末高	M42粉末高速钢		钢 不锈钢				铸铁	非铁材料	高温合金、钛合金	金高碩		
'							•		•	•	•	0	(
型号 (6D)	直径 (D)	L1	L	DS	LS	刀片型		WC型螺丝		扳手	定心钻	螺丝	扳
	00	100				/J/13	<u>-</u> 5	1条4		7次于			
50-SD82-6D-16	82	492	612										
50-SD83-6D-16	83	498	618										
50-SD84-6D-16	84	504	624										
50-SD85-6D-16	85	510	630										
50-SD86-6D-16	86	516	636				WCMX06T308		5*9				
50-SD87-6D-16	87	522	642			-4							
50-SD88-6D-16	88	528	648										
50-SD89-6D-16	89	534	654								16mm	M10	
50-SD90-6D-16	90	540	660										
50-SD91-6D-16	91	546	666							T15			内力
50-SD92-6D-16	92	552	672										5M
50-SD93-6D-16	93	558	678										
50-SD94-6D-16	94	564	684		0.0								
50-SD95-6D-16	95	570	690	50	80 WCMX0		80408	M4*11	:11				
50-SD96-6D-16	96	576	696					1014	''				
50-SD97-6D-16	97	582	702										
50-SD98-6D-16	98	588	708										
50-SD99-6D-16	99	594	714										
50-SD100-6D-16	100	600	646										