
## III HD-3自定心快速钻(8D) HD-3 Self-centering Drill with inserts(8xD)






○不适合加工 ● 适合加工 ● 非常适合

		自定心钻孔+内出水	Ρ	M	К	Ν	S	Н
H13	M42粉末高速钢		钢	不锈钢	铸铁	非铁材料	高温合金、钛合金	高硬度
							0	0

型号 (8D)	直径 (D)	L1	L	DS	LS	WC型	Ī	SP型		<u>ک</u> .\. 4 F	
至5 (00)	単任(リ)		L	03	LS	刀片型号	螺丝/扳手	刀片型号	螺丝/扳手	定心钻	螺丝/扳手
C25-SD20-8D-06	20	160	250								
C25-SD21-8D-06	21	168	255		55						
C25-SD22-8D-06	22	176	275	25		WCMX030208					
C25-SD23-8D-06	23	184	280	25							
C25-SD24-8D-06	24	192	285				M2.5*7	SPMG	M2.2*6		M5
C32-SD25-8D-06	25	200	290				Т8	06204	Т7	6mm	内六角2.5mm
C32-SD26-8D-06	26	208	295								
C32-SD27-8D-06	27	216	300			WCMX040208					
C32-SD28-8D-06	28	224	315								
C32-SD29-8D-06	29	232	320								
C32-SD30-8D-08	30	240	326	32 60				SPMG 07T308	M2.5*7 T8	8mm	M6 内六角3MM
C32-SD31-8D-08	31	248	334								
C32-SD32-8D-08	32	256	342		60	WCMX050308	M3*8 T10				
C32-SD33-8D-08	33	264	350								
C32-SD34-8D-08	34	272	358								
C32-SD35-8D-08	35	280	366								
C32-SD36-8D-08	36	288	374								
C32-SD37-8D-08	37	296	382								
C32-SD38-8D-08	38	304	390								
C32-SD39-8D-08	39	312	398						M3.5*8 T15		
C40-SD40-8D-10	40	320	416					SPMG			
C40-SD41-8D-10	41	328	424					090408			
C40-SD42-8D-10	42	336	432								
C40-SD43-8D-10	43	344	440								
C40-SD44-8D-10	44	352	448								
C40-SD45-8D-10	45	360	456	40	70	WCMX06T308	M3.5*9				M8
C40-SD46-8D-10	46	368	464				T15			10mm	内六角4MM
C40-SD47-8D-10	47	376	472					SPMG	M//*9		
C40-SD48-8D-10	48	384	480					SPMG 110408	M4*9 T15		
C40-SD49-8D-10	49	392	488					110400			
C40-SD50-8D-10	50	400	496								

05>>>

## III HD-3自定心快速钻(8D) HD-3 Self-centering Drill with inserts(8xD)






HAFFMAN High Precision Tools

												〇不适合加工 🖉 這	合加工 🔵 非常适合
		)	自定心钻孔+内出水			Ρ	м		K	Ν	S	Н	
H13	M42粉末高速钢					钢	不锈	网镁	铁	非铁材料	高温合金、钛	合金 高硬度	
								•	(	•	•	0	0
							WC₹	τIJ					
型号 (8D)	直径 (D)	L1	L	DS	LS					-	定心钻	螺丝	扳手
						刀片型	<b>켚号</b>	螺丝	扳手				
C40-SD51-6D-12	51	408	508										
C40-SD52-6D-12	52	416	516										
C40-SD53-6D-12	53	424	524										
C40-SD54-6D-12	54	432	532										
C40-SD55-6D-12	55	440	540										
C40-SD56-6D-12	56	448	548										
C40-SD57-6D-12	57	456	556			WCMX080408	080408	M4*11	T15	T15			
C40-SD58-6D-12	58	464	564										
C40-SD59-6D-12	59	472	572										
C40-SD60-6D-12	60	480	580										
C40-SD61-6D-12	61	488	588										
C40-SD62-6D-12	62	496	596										
C40-SD63-6D-12	63	504	604										
C40-SD64-6D-12	64	512	612	40	70						12mm		
C40-SD65-6D-12	65	520	620					M3*8				M10	内六角
C40-SD66-6D-12	66	528	628										5MM
C40-SD67-6D-12	67	536	636										
C40-SD68-6D-12	68	544	644						T10				
C40-SD69-6D-12	69	552	652			WCMX	050308						
C40-SD70-6D-12	70	560	660				-4P						
C40-SD71-6D-12	71	568	668										
C40-SD72-6D-12	72	576	676										
C40-SD73-6D-12	73	584	684										
C40-SD74-6D-12	74	592	692										
C40-SD75-6D-16	75	600	700									-	
C40-SD76-6D-16	76	608	708										
C40-SD77-6D-16	70	616	716										
C40-SD78-6D-16	78	624	724			WCMX	167308						
C40-SD79-6D-16	78	632	732			-4		M3.5*9	T15		16mm		
C50-SD80-6D-16	80	640	760			-4	'1						
				50	80								
C50-SD81-6D-16	81	648	728										

## III HD-3自定心快速钻(8D) HD-3 Self-centering Drill with inserts(8xD)





		自定心钻孔+内出水	Ρ	м	К	Ν	S	Н		
H13	M42粉末高速钢		钢	不锈钢	铸铁	非铁材料	高温合金、钛合金	高硬度		
			•	٠	٠	•	0	0		

型号 (8D)	直径 (D)	L1	L	DS	LS		WC型		定心钻	螺丝	扳手		
王马 (60)				05	LJ	刀片型号	螺丝	扳手	д <u>е</u> ютц	100000			
C50-SD82-8D-16	82	656	776										
C50-SD83-8D-16	83	664	784										
C50-SD84-8D-16	84	672	792										
C50-SD85-8D-16	85	680	800										
C50-SD86-8D-16	86	688	808										
C50-SD87-8D-16	87	696	816			WCMX06T308	M3.5*9						
C50-SD88-8D-16	88	704	824			-4P							
C50-SD89-8D-16	89	712	832										
C50-SD90-8D-16	90	720	840										
C50-SD91-8D-16	91	728	848								内六角		
C50-SD92-8D-16	92	736	856					T15	16mm	M10	5MM		
C50-SD93-8D-16	93	744	864										
C50-SD94-8D-16	94	752	872										
C50-SD95-8D-16	95	760	880	50	80								
C50-SD96-8D-16	96	768	888			WCMX080408	M4*11						
C50-SD97-8D-16	97	776	896			-4P							
C50-SD98-8D-16	98	784	904										
C50-SD99-8D-16	99	792	912										
C50-SD100-8D-16	100	800	920										