


DC636

王者系列

硬质合金左旋涂层钻头

CEMENTED CARBIDE LEFT ROTARY COATED DRILL



直径范围:Φ0.15-Φ3.18mm

直径公差:0-0.003mm

- ◆ 采用超微细颗粒硬质合金圆棒
Ultra fine cemented carbide round bar was used.
- ◆ 特别设计的左旋槽形,适合于自动车床的孔加工
Specially designed left-hand groove, suitable for automatic lathe hole processing.
- ◆ 超精公差管控,提升螺纹内孔良品率
Super precision tolerance control to improve the quality rate of threaded inner hole.
- ◆ 耐磨性好,孔径稳定,寿命长
Good wear resistance, stable aperture and long service life.

可切削材料 (● 最适合 ● 适合)

碳素钢 S45C S55C	合金钢 SK·SCM SUS	预硬钢 NAK HPM	淬火钢 ~55HRC ~60HRC ~70HRC	高温 合金	铜合金	铝合金	树脂	工程 塑料
●	●	●	●	●	●	●	●	●
铸铁	钛合金	玻璃纤维	电木	石墨	氧化锆	单晶硅	陶瓷	碳纤维
●	●	●	●					

单位: (mm)

单位: (mm)

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-0150	0.15	2.5	3.2	38
636-0160	0.16	2.5	3.2	38
636-0170	0.17	2.5	3.2	38
636-0180	0.18	2.5	3.2	38
636-0190	0.19	2.5	3.2	38
636-0200	0.20	3.5	3.2	38
636-0210	0.21	3.5	3.2	38
636-0220	0.22	3.5	3.2	38
636-0230	0.23	3.5	3.2	38
636-0240	0.24	3.5	3.2	38
636-0250	0.25	3.5	3.2	38
636-0260	0.26	3.5	3.2	38
636-0270	0.27	3.5	3.2	38
636-0280	0.28	3.5	3.2	38
636-0290	0.29	3.5	3.2	38
636-0300	0.30	3.5	3.2	38
636-0310	0.31	3.5	3.2	38
636-0320	0.32	3.5	3.2	38
636-0330	0.33	3.5	3.2	38
636-0340	0.34	3.5	3.2	38
636-0350	0.35	3.5	3.2	38
636-0360	0.36	3.5	3.2	38
636-0370	0.37	3.5	3.2	38
636-0380	0.38	3.5	3.2	38
636-0390	0.39	3.5	3.2	38
636-0400	0.40	3.5	3.2	38
636-0410	0.41	3.5	3.2	38
636-0420	0.42	3.5	3.2	38
636-0430	0.43	3.5	3.2	38
636-0440	0.44	3.5	3.2	38
636-0450	0.45	4.5	3.2	38
636-0460	0.46	4.5	3.2	38
636-0470	0.47	4.5	3.2	38
636-0480	0.48	4.5	3.2	38
636-0490	0.49	4.5	3.2	38
636-0500	0.50	5.0	3.2	38
636-0510	0.51	5.0	3.2	38
636-0520	0.52	5.0	3.2	38
636-0530	0.53	5.0	3.2	38
636-0540	0.54	5.0	3.2	38
636-0550	0.55	5.0	3.2	38
636-0560	0.56	5.0	3.2	38
636-0570	0.57	5.0	3.2	38
636-0580	0.58	5.0	3.2	38
636-0590	0.59	5.0	3.2	38
636-0600	0.60	5.0	3.2	38
636-0610	0.61	5.0	3.2	38
636-0620	0.62	5.0	3.2	38
636-0630	0.63	5.0	3.2	38
636-0640	0.64	5.0	3.2	38
636-0650	0.65	5.0	3.2	38

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-0660	0.66	5.0	3.2	38
636-0670	0.67	5.0	3.2	38
636-0680	0.68	5.0	3.2	38
636-0690	0.69	5.0	3.2	38
636-0700	0.70	5.0	3.2	38
636-0710	0.71	5.0	3.2	38
636-0715	0.715	5.0	3.2	38
636-0720	0.720	5.0	3.2	38
636-0725	0.725	5.0	3.2	38
636-0730	0.73	5.0	3.2	38
636-0740	0.74	5.0	3.2	38
636-0750	0.75	5.0	3.2	38
636-0760	0.76	5.0	3.2	38
636-0770	0.77	5.0	3.2	38
636-0780	0.78	5.0	3.2	38
636-0790	0.79	5.0	3.2	38
636-0800	0.80	5.0	3.2	38
636-0810	0.81	5.0	3.2	38
636-0820	0.82	5.0	3.2	38
636-0830	0.83	5.0	3.2	38
636-0840	0.84	5.0	3.2	38
636-0850	0.85	5.0	3.2	38
636-0860	0.86	5.0	3.2	38
636-0870	0.87	5.0	3.2	38
636-0873	0.873	5.0	3.2	38
636-0875	0.875	5.0	3.2	38
636-0880	0.880	5.0	3.2	38
636-0883	0.883	5.0	3.2	38
636-0885	0.885	5.0	3.2	38
636-0887	0.887	5.0	3.2	38
636-0888	0.887	5.0	3.2	38
636-0890	0.890	5.0	3.2	38
636-0892	0.892	5.0	3.2	38
636-0893	0.893	5.0	3.2	38
636-0895	0.895	5.0	3.2	38
636-0897	0.897	5.0	3.2	38
636-0900	0.900	5.0	3.2	38
636-0903	0.903	5.0	3.2	38
636-0905	0.905	5.0	3.2	38
636-0907	0.907	5.0	3.2	38
636-0910	0.910	5.0	3.2	38
636-0915	0.915	5.0	3.2	38
636-0920	0.92	5.0	3.2	38
636-0930	0.93	5.0	3.2	38
636-0940	0.94	5.0	3.2	38
636-0950	0.95	5.0	3.2	38
636-0960	0.96	5.0	3.2	38
636-0970	0.97	5.0	3.2	38
636-0980	0.98	5.0	3.2	38
636-0990	0.99	5.0	3.2	38
636-1000	1.00	5.5	3.2	38

單位: (mm)

單位: (mm)

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-1010	1.01	5.5	3.2	38
636-1020	1.02	5.5	3.2	38
636-1030	1.03	5.5	3.2	38
636-1040	1.04	5.5	3.2	38
636-1050	1.05	5.5	3.2	38
636-1060	1.06	5.5	3.2	38
636-1070	1.07	5.5	3.2	38
636-1073	1.073	5.5	3.2	38
636-1075	1.075	5.5	3.2	38
636-1078	1.078	5.5	3.2	38
636-1080	1.080	5.5	3.2	38
636-1083	1.083	5.5	3.2	38
636-1085	1.085	5.5	3.2	38
636-1087	1.087	5.5	3.2	38
636-1088	1.088	5.5	3.2	38
636-1090	1.090	5.5	3.2	38
636-1093	1.093	5.5	3.2	38
636-1095	1.095	5.5	3.2	38
636-1097	1.097	5.5	3.2	38
636-1100	1.10	5.5	3.2	38
636-1110	1.11	5.5	3.2	38
636-1120	1.12	5.5	3.2	38
636-1130	1.13	5.5	3.2	38
636-1140	1.14	5.5	3.2	38
636-1150	1.15	5.5	3.2	38
636-1160	1.16	5.5	3.2	38
636-1170	1.17	5.5	3.2	38
636-1180	1.18	5.5	3.2	38
636-1190	1.19	5.5	3.2	38
636-1200	1.20	5.5	3.2	38
636-1210	1.21	8.0	3.2	38
636-1220	1.22	8.0	3.2	38
636-1230	1.23	8.0	3.2	38
636-1240	1.24	8.0	3.2	38
636-1245	1.25	8.0	3.2	38
636-1250	1.250	8.0	3.2	38
636-1255	1.255	8.0	3.2	38
636-1260	1.260	8.0	3.2	38
636-1265	1.265	8.0	3.2	38
636-1268	1.268	8.0	3.2	38
636-1270	1.270	8.0	3.2	38
636-1275	1.275	8.0	3.2	38
636-1280	1.280	8.0	3.2	38
636-1283	1.283	8.0	3.2	38
636-1285	1.285	8.0	3.2	38
636-1290	1.29	8.0	3.2	38
636-1300	1.30	8.0	3.2	38
636-1310	1.31	8.0	3.2	38
636-1320	1.32	8.0	3.2	38
636-1330	1.33	8.0	3.2	38
636-1340	1.34	8.0	3.2	38

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-1350	1.35	8.0	3.2	38
636-1360	1.36	8.0	3.2	38
636-1370	1.37	8.0	3.2	38
636-1380	1.38	8.0	3.2	38
636-1390	1.39	8.0	3.2	38
636-1400	1.40	8.0	3.2	38
636-1410	1.41	8.0	3.2	38
636-1420	1.42	8.0	3.2	38
636-1430	1.43	8.0	3.2	38
636-1440	1.44	8.0	3.2	38
636-1450	1.45	8.0	3.2	38
636-1460	1.46	8.0	3.2	38
636-1470	1.47	8.0	3.2	38
636-1480	1.48	8.0	3.2	38
636-1490	1.49	8.0	3.2	38
636-1500	1.50	8.0	3.2	38
636-1510	1.51	8.0	3.2	38
636-1520	1.52	8.0	3.2	38
636-1530	1.53	8.0	3.2	38
636-1540	1.54	8.0	3.2	38
636-1550	1.55	8.0	3.2	38
636-1560	1.56	8.0	3.2	38
636-1570	1.57	8.0	3.2	38
636-1580	1.58	8.0	3.2	38
636-1590	1.59	8.0	3.2	38
636-1600	1.60	8.0	3.2	38
636-1610	1.61	8.0	3.2	38
636-1620	1.62	8.0	3.2	38
636-1630	1.63	8.0	3.2	38
636-1640	1.64	8.0	3.2	38
636-1650	1.65	8.0	3.2	38
636-1660	1.66	8.0	3.2	38
636-1670	1.67	8.0	3.2	38
636-1680	1.68	8.0	3.2	38
636-1690	1.69	8.0	3.2	38
636-1700	1.70	8.0	3.2	38
636-1710	1.71	8.0	3.2	38
636-1720	1.72	8.0	3.2	38
636-1730	1.73	8.0	3.2	38
636-1740	1.74	8.0	3.2	38
636-1750	1.75	8.0	3.2	38
636-1760	1.76	8.0	3.2	38
636-1770	1.77	8.0	3.2	38
636-1780	1.78	8.0	3.2	38
636-1790	1.79	8.0	3.2	38
636-1800	1.80	8.0	3.2	38
636-1810	1.81	8.0	3.2	38
636-1820	1.82	8.0	3.2	38
636-1830	1.83	8.0	3.2	38
636-1835	1.835	8.0	3.2	38
636-1840	1.840	8.0	3.2	38

单位: (mm)

单位: (mm)

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-1845	1.845	8.0	3.2	38
636-1850	1.85	8.0	3.2	38
636-1860	1.86	8.0	3.2	38
636-1870	1.87	8.0	3.2	38
636-1880	1.88	8.0	3.2	38
636-1890	1.89	8.0	3.2	38
636-1900	1.90	10.0	3.2	38
636-1910	1.91	10.0	3.2	38
636-1920	1.92	10.0	3.2	38
636-1930	1.93	10.0	3.2	38
636-1940	1.94	10.0	3.2	38
636-1950	1.95	10.0	3.2	38
636-1960	1.96	10.0	3.2	38
636-1970	1.97	10.0	3.2	38
636-1980	1.98	10.0	3.2	38
636-1990	1.99	10.0	3.2	38
636-2000	2.00	10.0	3.2	38
636-2010	2.01	10.0	3.2	38
636-2020	2.02	10.0	3.2	38
636-2030	2.03	10.0	3.2	38
636-2040	2.04	10.0	3.2	38
636-2050	2.05	10.0	3.2	38
636-2060	2.06	10.0	3.2	38
636-2070	2.07	10.0	3.2	38
636-2080	2.08	10.0	3.2	38
636-2090	2.09	10.0	3.2	38
636-2100	2.10	12.0	3.2	38
636-2110	2.11	12.0	3.2	38
636-2120	2.12	12.0	3.2	38
636-2130	2.13	12.0	3.2	38
636-2140	2.14	12.0	3.2	38
636-2150	2.15	12.0	3.2	38
636-2160	2.16	12.0	3.2	38
636-2170	2.17	12.0	3.2	38
636-2180	2.18	12.0	3.2	38
636-2190	2.19	12.0	3.2	38
636-2200	2.20	12.0	3.2	38
636-2210	2.21	12.0	3.2	38
636-2220	2.22	12.0	3.2	38
636-2230	2.23	12.0	3.2	38
636-2240	2.24	12.0	3.2	38
636-2250	2.25	12.0	3.2	38
636-2260	2.26	12.0	3.2	38
636-2270	2.27	12.0	3.2	38
636-2280	2.28	12.0	3.2	38
636-2290	2.29	12.0	3.2	38
636-2300	2.30	12.0	3.2	38
636-2310	2.31	12.0	3.2	38
636-2320	2.32	12.0	3.2	38
636-2330	2.33	12.0	3.2	38
636-2340	2.34	12.0	3.2	38

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-2350	2.35	12.0	3.2	38
636-2360	2.36	12.0	3.2	38
636-2370	2.37	12.0	3.2	38
636-2380	2.38	12.0	3.2	38
636-2390	2.39	12.0	3.2	38
636-2400	2.40	12.0	3.2	38
636-2410	2.41	12.0	3.2	38
636-2420	2.42	12.0	3.2	38
636-2430	2.43	12.0	3.2	38
636-2440	2.44	12.0	3.2	38
636-2450	2.45	12.0	3.2	38
636-2460	2.46	12.0	3.2	38
636-2470	2.47	12.0	3.2	38
636-2480	2.48	12.0	3.2	38
636-2490	2.49	12.0	3.2	38
636-2500	2.50	12.0	3.2	38
636-2510	2.51	12.0	3.2	38
636-2520	2.52	12.0	3.2	38
636-2530	2.53	12.0	3.2	38
636-2540	2.54	12.0	3.2	38
636-2550	2.55	12.0	3.2	38
636-2560	2.56	12.0	3.2	38
636-2570	2.57	12.0	3.2	38
636-2580	2.58	12.0	3.2	38
636-2590	2.59	12.0	3.2	38
636-2600	2.60	12.0	3.2	38
636-2610	2.61	12.0	3.2	38
636-2620	2.62	12.0	3.2	38
636-2630	2.63	12.0	3.2	38
636-2640	2.64	12.0	3.2	38
636-2650	2.65	12.0	3.2	38
636-2660	2.66	12.0	3.2	38
636-2670	2.67	12.0	3.2	38
636-2680	2.68	12.0	3.2	38
636-2690	2.69	12.0	3.2	38
636-2700	2.70	12.0	3.2	38
636-2710	2.71	12.0	3.2	38
636-2720	2.72	12.0	3.2	38
636-2730	2.73	12.0	3.2	38
636-2740	2.74	12.0	3.2	38
636-2750	2.75	12.0	3.2	38
636-2760	2.76	12.0	3.2	38
636-2770	2.77	12.0	3.2	38
636-2780	2.78	12.0	3.2	38
636-2790	2.79	12.0	3.2	38
636-2800	2.80	12.0	3.2	38
636-2810	2.81	12.0	3.2	38
636-2820	2.82	12.0	3.2	38
636-2830	2.83	12.0	3.2	38
636-2840	2.84	12.0	3.2	38
636-2850	2.85	12.0	3.2	38

單位: (mm)

商品号 EDP NO.	直径 D1	刃长 H	柄径 D	全长 L
636-2860	2.86	12.0	3.2	38
636-2870	2.87	12.0	3.2	38
636-2880	2.88	12.0	3.2	38
636-2890	2.89	12.0	3.2	38
636-2900	2.90	12.0	3.2	38
636-2910	2.91	12.0	3.2	38
636-2920	2.92	12.0	3.2	38
636-2930	2.93	12.0	3.2	38
636-2940	2.94	12.0	3.2	38
636-2950	2.95	12.0	3.2	38
636-2960	2.96	12.0	3.2	38
636-2970	2.97	12.0	3.2	38
636-2980	2.98	12.0	3.2	38
636-2990	2.99	12.0	3.2	38
636-3000	3.00	12.0	3.2	38
636-3010	3.01	12.0	3.2	38
636-3020	3.02	12.0	3.2	38
636-3030	3.03	12.0	3.2	38
636-3040	3.04	12.0	3.2	38
636-3050	3.05	12.0	3.2	38
636-3060	3.06	12.0	3.2	38
636-3070	3.07	12.0	3.2	38
636-3080	3.08	12.0	3.2	38
636-3090	3.09	12.0	3.2	38
636-3100	3.10	12.0	3.2	38
636-3110	3.11	12.0	3.2	38
636-3120	3.12	12.0	3.2	38
636-3130	3.13	12.0	3.2	38
636-3140	3.14	12.0	3.2	38
636-3150	3.15	12.0	3.2	38
636-3160	3.16	12.0	3.2	38
636-3170	3.17	12.0	3.2	38
636-3180	3.18	12.0	3.2	38